G. R. S. 58]

Previous references

Jul 305-06 (3-6)
Aug 78-08 (2-5)

Later references

1911-62

Municipal

File No Mg-11

Serial Nos 1 & 2

GENERAL AND REVENUE SECRETARIAT.

Serial Nos 1 and 2

Part B for September 1911

SUBJECT

Water Supply of Mackay

---

1. From The Dy Commissioner Bangalore
DK No. 32 dt 17 8 11

Stating that he agrees with
the Exc: Engineer Water Supply & Drainage
Dn in thinking that a separate
water supply scheme is not necessary
that sinking of a well behind Anjane
temple at a cost of Rs 1000/- &
at Rs 300/- for the stand pipe ...

Already the water difficulty [illegible]
is said to be settled, in Kotwali [illegible]
the question of improving Chelna [illegible]
may be taken up when funds permit

2. In the same office No. 2471/D/26.9.11
Directed that the works suggested
by the Ex. Engr. Wadia subsidy and approved
by the Commr may be taken up
& points to be noted that funds
for irrigation grant from state funds for this purpose
is possible

Recorded by Mr Burman in charge

14.11.11

G.R.S 11] 1911-12

GENERAL AND REVENUE SECRETARIAT

(Munl.)

NOTES.

89-G11

File No. 305-06.

File Heading

Water Supply to Hosakote.

From

The Dy Comm^r, Bangalore dt.

No 32/D.F Dated 17-5-11 Received 19-5-11

Diary No. 1039 | Enclos 1 | Spare Copies | Serial No. 1

Brief Abstract of Letter.

With Reference this Office letter No 3448/Ml 305-06-6 3/24-10 1910, states that he agrees with the Executive Engr, Water Supply Dn in thinking that a separate Water Supply scheme is not necessary, and that sinking of a well behind the Anjaneyaswami temple at a cost of Rs 1000 and another at Rs 300 for Holeyaras is likely to remedy the water difficulty said to be felt only in hot weather and that the question of improving Cholera must wch may be taken up when funds permit.

NOTES AND ORDERS

Owing to the poor financial condition of the Hosakote Municipality, the Munl Board are of opinion that the execution of works referred to above may be undertaken at first cost. If approved, the Branch D will have

Notes—First sheet

GPB—15,000—24-4-09

Serial No

to be consulted in the matter *

2 ___ The dy Comm^r has not submitted estimates for sinking the two wells referred to by him
Submitted for orders

26/11 3 - Please put up draft to the President calling for estimates Also note the condition of the Hosakote municipality

5 19/1 30.8.11 Mlle

4 Draft calling for the estimates from the dy Comm^r o submitted for approval

5 — The financial condition of the Hoskote municipality as per current year's sanctioned budget what is under some is as follows —

	Rs
Opening balance	676
Receipts	2,607
Total	3,283
Secret Expenditure -	2,629
closing balance	654 which is equal to

the prescribed minimum.

29/11 6 If any aid is likely to be granted, estimates may be called for - Hardship for water is said to be felt slightly in the hot weather -

1st (Cr) 4 9 11 Mlle

NOTE— Contn sheet

E. S. 12]
General and Revenue
Secretariat

Nil File No ~~305~~ 89 of 94 ~~96~~

Serial No

It is a question of finance.
Please consult Branch II

H.H.R
6/9/11

Forwarded to Branch II for favour of opinion

8-9-11 Hill

Submitted
M 36
9/9/1911

It is primarily the duty of the Municipality to supply food & drinking water either by means of wells or the erection of Water works and not Council aid them merely because they cannot meet the cost they have to bear themselves for their benefit All that Govt can do is to give a loan but in the present financial condition of the Municipality there is no chance of the loan being repaid If in fact the Municipality want the wells to be dug & developed at State cost in the present deficit condition of the budget ~~Government~~ Council to the threatening condition of the season it is not possible to give any grants.

H Secy
Brtw

10 12/9/11

6/11/11

Note— Contn sheet

GPB—50 000— 12 8 10

G R S 12]
General and Revenue Secretariat

Ref File No ~~305~~ 89 4 of ~~1906~~

Serial No

If in the Circumstances, may the Dy Comr be informed that the work may be undertaken gradually as the funds permit but that a grant from the State Funds is not possible Draft submitted for approval or other orders

Mkd 30 1st Cr) 15 9 11 Mle

14-9

Approved
KMM
17/9/11

Issue
18-9-11 Mle

2 ~~&~~ The Dy Commissioner Berhampur
No 2471 dt 16 9 11
addressed to the Secretary to Govt The Executive Engineer Berhampur Supply & Stores dated received by The Deputy Commissioner may be taken up in hand on the receipt of permit & that the grant of State Funds for this purpose

Note—Contn sheet

GPB—50 000 12 8 10

190

From The President
District Board
Bangalore

To The Secretary to Govt
Genl & Rev D

Dated 17th
Despatched 18th } August 1911
Received

General No
D.D No 32
Enclosure No 1

Recommending certain proposals to remove the hardship of water supply to the town of Hoskote —

- 1506

D Dis No 32 DIARY No. 1039 Deputy Commissioner's office
Bangalore District
Dated 16th/17th August 1911

1911-12
SECTION Municipal
FILE No. 3989-F
SERIAL No. 71

From B J Kumarasami Naick Esquire B A
Deputy Commissioner
Bangalore District

To C S Balasundaram Iyer Esquire B A
Offg. Secretary to the Govt of Mysore
Revenue and General Departments.

Sir,

With reference to your letter No 3448 M.L305-06-6 dated 24th October 1910, forwarding copies of correspondence re water supply to the town of Hoskote, I have the honor to state that the Executive Engineer Water Supply & Sewerage Division, has suggested that as hardship for water supply is slightly felt only in the hot weather, all that is required to minimize the difficulty is to improve

the existing wells and to excavate 2 new ones and that a separate scheme is no longer necessary. The Municipal Board of Hoskote has resolved that the three wells mentioned above may be improved at Government Cost owing to the poor financial Condition of the municipality. An extract from the Board's resolution is herewith submitted. In this connection I beg to state that in the notes of Sch of questions and answers re water supply I find that the present source of supply of water to the town has been pointed out to be from three wells in the town The Amildar seems to have lost sight of the Chickkere tank which is also one of the sources of water supply and its Separate was prepared in 1906 at an outlay of Rs 975 from the municipal funds, vide Govt Order No 12505-7 L.B. (70-05)-5 dated 5th March

S

I Concur with the Executive Engineer in thinking that a separate scheme is not necessary. The sinking of the wells in

the Anjeneya temple at a cost of Rs 1000/
and the sinking of a well for Holayers at
a cost of Rs 300/ is likely to remedy the
water difficulty for the present. The
question of improving the Chelubs must
well may be taken up when funds permit

I have the honor to be,
Sir,
Your most obedient Servant.

[illegible]
Jr Deputy Commissioner
Bangalore District

Copy

Present—

Mr V N Gururow

Vice President—

Members present—

1 Mr Rama Row (Sub Rgr)
2 " Syedalle (Kasaba patel)
3 " Chelle Basappa
4 " M Bheema Row (Sub overseer)
5 " Kanaka pa moodi (Hospital assistant)

Absent—

6 " Kasaba Seenappa
7 " Rudrappa
8 " Salar Shaik
9 " Peyreg owda

} Absent from the Town

Subject—

I ×
II ×
III ×
IV ×

Copy
M 31 S-11

Revenue & Dasara Section not concerned. Nor no. Here any sign in the despatch book of the Agency. Receipt of order may be sent to Dasara Section

14.11.11

Dy 29-11-11

File No. 3[illegible]

Serial No 2

Proceedings of the Government of His Highness the Maharaja of Mysore.

READ—

Letter No 32 dated the 15th August 1911 from the Dy Comr and President of the Municipalities in the Bangalore District, stating with reference to the question of water supply to Hoskote town, that he agrees with the Executive Engineer, Water Supply and Sewerage Division, in thinking that a reservoir

over Rs[illegible]

ORDER THEREON.—No

SUBJECT.

GPB—10,000—23-2-10

25/9/11

scheme for the purpose is not necessary, that if two wells are sunk one behind the Anglican temple and a third at Rotoroa and the other in Hukapapa and a reach of the Boyd the present water difficulty will be very probably be removed, and that the question of enlarging the Chelsea Basin well may be taken up when found necessary.

Orders thereon No 2471 vol 89-11 Dft 26/7/11

The works suggested by the Ex. Engineer, Water Supply and Stores Dept and approved by the Hy Commr, may be taken up and funds in hand for the purpose, as funds permit. No grant from State Funds for this purpose is possible

17/7/14

Jas Liversidge
Colonial Secretary

To the Hy. Commr Wanganui
Memo of Despatch sent for information
By order
for Secy